| Potential Solution  | Selected for Further Study? | Dropped from<br>Consideration? When? | Comments   |
|---|-----------------------------|--------------------------------------|--|
| Terminal/Beltline/Broadway Area:  |                             |                                      |  |
| Coordinate/adjust traffic signals   | Х                           |                                      | Will be completed in the corridor between Pflaum and Kinsman in 2006. Is included as part of all Alternatives. |
| Add more lanes for cars Extend 3 lanes north to Pflaum Merging issues N. of Broadway, Deal w/merges | Х                           |                                      | May be considered  |
| Create alternative "reliever route from   |                             | Х                                    | Outside scope of study   |
| Interstate to Iowa  |                             | ^                                    |  |
| Create Marsh Road overpass  | X                           |                                      | Completed in 2004  |
| Use 3-way stop or stop light at Menard's  |                             | Х                                    | Outside scope of study   |
| Use earlier signage   | Х                           |                                      | May be implemented in the short term. Will be part of the Alternatives.  |
| Better lane markings  | X                           |                                      | May be implemented in the short term. Will be part of the Alternatives.  |
| Bike route to relieve traffic gridlock  | X                           |                                      | May be implemented in the short term. Will be part of the Alternatives.  |
| Grade separate (overpass with ramps to Broadway)  | Х                           |                                      | Alternative B & C  |
| Move Beltline interchange further east  |                             | Х                                    | Would conflict with IH39/90/94 and Beltline Interchange  |
| Use over-or underpass at Femrite  | х                           |                                      | Considered as an at-grade intersection in Alternative A. Bike/Ped only overpass included in Alt B and C        |
| More capacity at 12/18 off-ramp<br>Extend ramps; Third turn lane; Queue override                    | X                           |                                      | Short-term Improve   |
| Ramp meters   | X                           |                                      | May be considered with ITS evaluation  |
| Reconstruct/realign westbound interchange area to accommodate bikes                                 | Х                           |                                      | Completed  |
| Pedestrian and bike accommodations at Broadway  | X                           |                                      | Many exist   |
| Coordinate EB (12/18) to NB (51) Signals Signal interconnection/ramp – improve short-term           | Х                           |                                      | Signal timing improvement under study  |
| Varied levels of free flow. Eastbound backup on ramp – free flow interchange                        | Х                           | х                                    | Alternative B & C  |
| Grade separation at Broadway (free flow)  | X                           |                                      | Alternative B & C, Not free flow   |
| Eliminate Broadway  |                             | X                                    | Needed connection  |
| Relocate Broadway   | X                           |                                      | Alternative A  |

| Potential Solution  | Selected for Further Study? | Dropped from<br>Consideration? When? | Comments   |
|---|-----------------------------|--------------------------------------|--|
| Buckeye/Pflaum/Cottage Grove Area   |                             |                                      |  |
| Buckeye interchange   | х                           |                                      | Alternative B & C  |
| Buckeye overpass  |                             | Х                                    | Need connection  |
| Pflaum interchange Pflaum and Buckeye/frontage road improvements Dead-end frontage rd at Pflaum or Buckeye Leave one interchange at Pflaum or Buckeye | х                           |                                      | Frontage road connections improved in all alternatives. Interchange concepts in Alt B and C. |
| Eliminate Wendy's access onto Pflaum Road   | Х                           |                                      | Will relocate in all alternatives  |
| Pflaum overpass   |                             | Х                                    | Needs on/off access to schools   |
| Longer lights at Pflaum for E-W traffic   |                             | Х                                    | Stoughton Road needs priority  |
| Longer left turn light at Buckeye   | Х                           |                                      | May be incorporated in Alternative A   |
| Coordinate/adjust signal timing at Buckeye and Pflaum   | Х                           |                                      | Signal timing improvement under study  |
| Readjust signal timing at Cottage Grove Rd.   | х                           |                                      | Signal timing improvement under study  |
| Increase turn lane lengths at Buckeye   | х                           |                                      | Alternative A  |
| Increase turn lane lengths at Buckeye and Pflaum  | Х                           |                                      | Alternative A  |
| Reduce traffic onto Pflaum and Buckeye  |                             | Х                                    | Necessary routes for east/west movements   |
| Mark turning lanes on frontage roads at Buckeye   | Х                           |                                      |  |
| Use overhead signage on Stoughton Road to warn of accidents, etc.   | Х                           |                                      | ITS evaluation   |
| Lower speed limits/make consistent through area   | Х                           |                                      | Effects of lower speeds will be evaluated  |
| Create entrance/exit to 90/94 for those on the far end of Buckeye   |                             | Х                                    | Adding more traffic to the IH system not desirable   |
| Extend frontage road south to Broadway  Connect frontage rd (Turner Gymnastics to Broadway)   | х                           |                                      | Bike/Ped Only  |
| Make frontage road one-way  | Х                           |                                      | Alternative B  |

| Potential Solution  | Selected for Further Study? | Dropped from Consideration? When? | Comments   |
|---|-----------------------------|-----------------------------------|--|
| Buckeye/Pflaum/Cottage Grove Area   |                             |                                   |  |
| Move frontage road connections back   |                             |                                   | Alternative A  |
| from Stoughton Road and eliminate driveways                                     | X                           |                                   |  |
| Move frontage road behind businesses  |                             |                                   | High Impact/Low Return   |
| Relocated access to frontage road   |                             | X                                 |  |
|   |                             | .,                                | Assessment showed improvements needed at intersections.              |
| Six lanes on Stoughton Road  Additional lanes – acceleration/deceleration lanes |                             | X                                 | Further evaluation of lane capacity will be completed in the         |
| Short-term – dual left turn lanes/  |                             |                                   | future.  Alternative A   |
| intersection improvements   | X                           |                                   | Alternative A  |
| Improve Cottage Grove Road interchange –  |                             |                                   | All Alternatives   |
| acceleration/deceleration length (ramp geometry)                                | X                           |                                   |  |
| Connect sidewalks, signal timing, pedestrian overpass                           | X                           |                                   | All Alternatives   |
| Redesign intersections  | X                           |                                   | Alternative A  |
| Redesign/relocate all frontage roads on north side of Buckeye                   | X                           |                                   | Alternative B & C  |
| Half diamond (S.) at Pflaum & full diamond at Buckeye                           | X                           |                                   | Alternative B  |
| Cottage Grove – fix ramp tapers   | X                           |                                   | All Alternatives   |
| Milwaukee/HWY 30/Railroad Area/Nakoosa-   |                             |                                   |  |
| Lexington/Commercial  |                             |                                   |  |
| Extend third lane to Beltline   |                             |                                   | Assessment showed improvements needed at intersections.              |
| Extend 3rd lane, southbound, south of Milwaukee St.                             |                             | X                                 | Further evaluation of lane capacity will be completed in the future. |
| Extend median lane north of Milwaukee   |                             | х                                 | Assessment showed improvements needed at intersections.              |
|   |                             |                                   | Further evaluation of lane capacity will be completed in the         |
| Tri-level with flyover/under and roundabouts at Hwy 30                          |                             |                                   | future.  Alternative C - Roundabouts may be considered               |
| Thelevel with hyover/under and roundabouts at riwy 30                           | X                           |                                   | Alternative C - Roundabouts may be considered                        |
| Remove free-flow eastbound 30 to southbound 51                                  | Х                           |                                   | Alternative A & B  |
| Extend southbound merge lane from STH 30  |                             | X                                 | Would require work on Milwaukee Street Structure.                    |
| STH 30 interchange redo to put signals on STH 30                                |                             | X                                 | STH 30 is high volume/free flow to IH                                |
| Add lanes on STH 30 ramps   | X                           |                                   | Dependant on Alternative B   |
| Merging improvements at STH 30  | X                           |                                   | Alternative A & B  |
| Double-decker overpass for railroad   | X                           |                                   | Alternative C  |
| and E. Washington and Hwy 30  |                             |                                   |  |
| Flyover ramps from Nakoosa to Milwaukee   | X                           |                                   | Alternative C  |
| (connect with E. Wash flyover) or roundabout                                    | <u> </u>                    |                                   | Alternative C  |
| Overpass at railroad  | X                           |                                   | Alternative C  |
| Overpass at Lexington/Commercial Interchange at Lexington/Commercial            | X                           |                                   | Alternative C Alternative C  |

| Potential Solution  | Selected for   | Dropped from         | Comments  |
|---|----------------|----------------------|---|
| Fotential Solution  | Further Study? | Consideration? When? | Comments  |
| East Washington Area  |                |                      |   |
| Overpass at E. Wash.  | х              |                      | Alternative B & C   |
| Build interchange at E. Wash single point - three-level diamond   | х              | х                    | Alternative C Evaluated 3rd level, cost/benefit not found |
| Overhead road over E. Wash.   |                | Х                    | More beneficial for road to go under E. Wash              |
| Longer lights/adjust synchronization  |                | х                    | Too much traffic @ E. Wash                                |
| Access roads for businesses - frontage or backage - East Washington and Stoughton Road                                | X<br>X         |                      | Some connections made                                     |
| Additional stacking lanes   | х              |                      | Alternative A   |
| Extend Anderson to Lien Rd.   | х              |                      | All Alternatives  |
| Eliminate stop lights and let traffic flow (bridge and/or off-ramps?)   | х              |                      | Alternative C & B2  |
| Roundabout for local traffic on E. Washington/Stoughton Road (Stoughton Road regional traffic free-flow over the top) | Х              |                      | Modification to Alt B and C, may be considered            |
| Interchange/Grade separation at E. Washington – put all ramp movements at Lien/Anderson – extend Lien Rd              | х              |                      | Alternative B2 & C  |
| Mendota/East Washington signal – eliminate  | X              |                      | Alternative B1  |
| Grade separation to accommodate Anderson  | X              |                      | Alternative B2 & C  |
| Roundabout at Anderson  | X              |                      | Considered in Alt A                                       |
| Remove skew in 51 at East Washington  | X              |                      | All Alternatives (reduced)                                |
| Timing of signals (Mendota after right turn off NB 51)  | X              |                      | May be considered in Alternative A                        |
| Narrower lanes on East Washington thru USH 51   | X              |                      | Matches rest of E. Wash                                   |
| Signal coordination on East Washington<br>(east of intersection, Mendota)   | Х              |                      | Considered in East Wash project                           |
| Consolidate bus stops   | Х              |                      | May be implemented, depends on selected alternative       |
| Close driveways by Pedro's  | Х              |                      | Consolidated with frontages                               |
| Close Pierstorff  | Х              |                      | Alternative C overpass, right in/out in other alts        |
| Extend guardrail in median near airport   | Х              |                      | Depends on selected alternative                           |
| landing system/new barrier system   | ^              |                      |   |
| Interchange at Hanson   |                | X                    | Airport Safety Zone Conflict                              |
| Extend Hanson Road to west  |                | X                    | Airport Safety Zone Conflict                              |
| Eliminate Hanson Road intersection  | X              |                      | Alternative C   |
| Interchange at Hoepker  | Х              |                      | Alternative B & C   |

| Potential Solution  | Selected for Further Study? | Dropped from<br>Consideration? When? | Comments   |
|---|-----------------------------|--------------------------------------|--|
| Pierstorff to Token Creek                                   |                             |                                      |  |
| Make Hoepker "more attractive" than CV                      | X                           |                                      | Alternative B & C  |
| Improve length of turning bays on Hoepker Road              | X                           |                                      | All Alternatives   |
| Make Hoepker Road right in/right out only                   |                             | X                                    | Needed connection for through movements                  |
| Signals or roundabout at Hoepker Road                       | Х                           |                                      | Alternative A  |
| Close Acker Road  | Х                           |                                      | Consolidated with frontage in B & C                      |
| Make Acker Road right & left in/right out                   |                             | X                                    | Too close too Hoepker & CV                               |
| Signalize Acker Road  |                             | Х                                    | Too close too Hoepker & CV                               |
| Interchange at CV   |                             | X                                    | Too close to IH, CV relocated to Hoepker in Alt B and C  |
| Remove truck stop accesses from I-39/90/94 exit ramp tapers | Х                           |                                      | All Alternatives   |
| Move access back away from I-39/90/94interchange            | Х                           |                                      | All Alternatives   |
| Change I-39/90/94 to a diamond interchange with signals     | Х                           |                                      | Alternative A & B - Signals - with current configuration |
| Off-road bike path, Token Creek Park to Rieder Road area    | Х                           |                                      | All Alternatives - City                                  |
| Bicycle/Pedestrian Concerns                                 |                             |                                      |  |
| Pedestrian/bike bridge or tunnel                            | X                           |                                      | Several being considered                                 |
| Designated turn/merging/bike lanes                          | Х                           |                                      | On crossroads  |
| Create separate bikeway connecting service                  |                             |                                      | Some connections being made                              |
| road segments   | X                           |                                      |  |
| "Countdown" lights at Buckeye/Pflaum                        | Х                           |                                      | May be considered, ITS evaluation                        |
| More clear markings or more signs on bike paths             | Х                           |                                      | All Alternatives   |

| Potential Solution   | Selected for Further Study? | Dropped from<br>Consideration? When? | Comments                                       |
|--|-----------------------------|--------------------------------------|--|
| General Traffic Flow Concerns  |                             |                                      |  |
| Make Sprecher-Reiner 4 lanes   | X                           |                                      | Long range plan                                |
| Limited access from E. Washington to Beltline                                  | X                           |                                      | Alternative B & C                              |
| Lengthen/reconfigure short exit and entrance lanes                             | X                           |                                      | All Alternatives                               |
| Add commuter rail from Deerfield to Madison                                    | Х                           |                                      | Another Study                                  |
| Restrict residential roads to local traffic                                    | Х                           |                                      | Hope improvements will                         |
| Over/underpasses to facilitate traffic   | Х                           |                                      | Several locations Alternative B & C            |
| Synchronize lights to work together on entire corridor                         | Х                           |                                      |  |
| Research other mass transit systems (Denver)                                   | X                           |                                      | Another Study                                  |
| Make Stoughton Rd. a Beltline  | Х                           |                                      | Alternative C                                  |
| New bypass at Reiner-Sprecher Rd.  |                             | Х                                    | Long term - a bypass more local                |
| Improve pavement marking & signing   | X                           |                                      |  |
| Move service road intersections away   | Х                           |                                      |  |
| from main intersections  | ^                           |                                      |  |
| Use dual turn lanes  | X                           |                                      |  |
| Add another north-south lane   | Х                           |                                      | Auxiliary Lanes added                          |
| Eliminate access road altogether and widen Stoughton Rd. with longer off-ramps |                             | х                                    | Access needed                                  |
| Make semis use the Interstate unless doing local deliveries                    |                             | х                                    | Industrial Corridor                            |
| Put access roads behind businesses   |                             | х                                    | More impacts                                   |
| Noise Concerns   |                             |                                      |  |
| Run Stoughton Rd. in a tunnel/grade  | Х                           |                                      | Will be in many locations in Alternative B & C |
| separation of road with walls  | ۸                           |                                      |  |
| Add noise walls/barriers/berms/plantings                                       | X                           |                                      | Maybe considered in some areas                 |
| Buy me out   | Х                           |                                      |  |
| Quiet pavement alternative   | Х                           |                                      | Researching                                    |
| No engine breaking on Cottage Grove Rd. ramps                                  | X                           |                                      | Ramp improvements should help                  |